All Roads Lead to The Sea - Month 1 / Section 1

Pattern by Country Creations

Note: Fabrics will be different than fabrics in your package. I recommend doing a fabric key in the colors you are using.

I like to cut my fabric out by color. You can follow the pattern and cut out as you work on a section of if you want to cut all at once, here is the breakdown:

Sky Fabric:

8 x 12 ½

2 ½ x 5 ½

2 ½ x 6 ½

(3) 1 ½ x 1 ½

1 ½ x 4 ½

Tree Truck:

1 x 1 1/2 * See Tip

Foreground #1:

2 ½ x 5 ½

2 ½ x 4 ½

(2) 2 ½ x 3 ½

2 ½ x 2 ½

1½x8

(2) 1 ½ x 4 ½

1 ½ x 3 ½

1 ½ x 2 1/2

(2) 1 ½ x 1 ½

1 x 1 ½* See Tip

Tree #1 (Rear tree):

(5) 2 ½ x 2 ½

(2) 2 ½ x 3 ½

(2) 2 ½ x 1 ½

1 ½ x 3 ½

Tree #2 (Front Tree):

2 ½ x 8 ½

(3) 2 ½ x 2 ½

2 ½ x 1 ½

Tip from Fabric Key:

"On tiny pieces, such as tree truck and grass piece in the last box, it is sometimes helpful to sew it larger and trim it down." I read this after I finished piecing. This is very good advice if you have trouble with the sewing machine trying to "eat" the small pieces.

Cutting:

Sky Fabric: I cut an 8" strip, 2 $\frac{1}{2}$ " strip and 1 $\frac{1}{2}$ " strip. Once I have the strips, I cut the biggest piece and worked my way down. I find I get my best usage of the fabric that way.

Foreground #1: I cut 2 strips of 2 $\frac{1}{2}$ " and 2 strips of 1 $\frac{1}{2}$ ". I had a couple of pieces left that I just cut out of the chuck remaining. Note Tip from Fabric Key regarding 1 x 1 $\frac{1}{2}$ piece.

Tree #1 (Rear Tree): I cut 2 strips of 2 $\frac{1}{2}$ " using the long side. Cut remaining piece out of chuck left over.

Tree #2 (Front Tree): I cut 2 strips of 2 ½" and a strip of 1 ½"

Tree Truck: Trim to 1 x 1 ½ if not doing Tip from Fabric Key

Tip:

For this project especially and a lot of my other projects, I like to use a design wall. My design wall is not fancy at all. I have nailed left over batting to the wall of my quilting room. You can also just put batting on the floor. When I need to put it away, I roll it up and it is ready for travel.

Piecing:


First Section:

Place Sky Fabric of 8 x 12 ½ on design board or off to the side for piecing sections together.

Second Section:

In the second part, you will be taking Sky pieces sized 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 2 $\frac{1}{2}$ x 5 $\frac{1}{2}$ and 2 $\frac{1}{2}$ x 6 $\frac{1}{2}$; Foreground pieces (2) 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$ and Tree #1 (2) 2 $\frac{1}{2}$ x 2 $\frac{1}{2}$ squares.


Take a foreground #1 piece sized $1 \% \times 1 \%$ and (2) $2 \% \times 2 \%$ piece and draw a line from one corner to the opposite corner on back side of fabric. (Refer to dotted yellow line in picture below)



Back of fabric shown (corners)

Foreground #1 – 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$ square to be sewn on bottom left of Sky – 2 $\frac{1}{2}$ x 5 $\frac{1}{2}$ (See sewing and cutting instructions below)

Tree #1 – 2 ½ x 2 ½ to be sewn on bottom right of Sky – 2 ½ x 5 ½ and 2 ½ x 2 ½ to be sewn on bottom left of Sky 2 ½ x 6 ½



With the 2 ½ x 5 ½ Sky piece, place 1 ½ x 1 ½ Foreground on bottom left as shown in picture. Place the 2 ½ x 2 ½ Rear Tree piece on bottom right as shown in picture. Sew on the yellow dotted. Use a scant ¼" seam allowance so when you fold over you don't loose any of the piece in the fold. Some of the pieces are small so this is very important.






- Take the Sky 2 ½ x 6 ½ piece and place the Tree #1 (Rear Tree) 2 ½ x 2 ½ on the bottom left and shown above. Sew on the dotted yellow line and repeat previous steps on the previous picture.
- Sew the blocks together to complete Section 2

Third Section:

In the third part, you will be taking Sky pieces sized $1 \frac{1}{2} \times 4 \frac{1}{2}$ and (2) $1 \frac{1}{2} \times 1 \frac{1}{2}$ for corners; Foreground pieces sized $2 \frac{1}{2} \times 5 \frac{1}{2}$ and $1 \frac{1}{2} \times 4 \frac{1}{2}$; Tree #1 (Rear Tree) pieces sized $2 \frac{1}{2} \times 2 \frac{1}{2}$ and $2 \frac{1}{2} \times 3 \frac{1}{2}$; and Tree #2 (Front Tree) pieces (2) $1 \frac{1}{2} \times 1 \frac{1}{2}$.

Take a tree #1 (Rear Tree) piece $2 \% \times 2 \%$; sky pieces (2) sized $1 \% \times 1 \%$; and Tree #2 (Front Tree) sized (2) $1 \% \times 1 \%$ and on each piece draw a line from one corner to the opposite corner on back side of fabric. (Refer to dotted yellow line in picture below)



- Sew on yellow dotted line shown.
- Take Tree #1 (Rear Tree) 2 ½ x 3 ½ piece and iron and trim. Add Tree #2 (Front Tree) 1 ½ x 1 ½ piece to bottom below sky piece sewn.

Tree #2 (Front Tree) 1 ½ x 1 ½ piece will be sewn after the sky 1 ½ x 1 ½ piece is sewn and ironed open.


Finish Section 3 by sewing the Sky piece 1 % x 4 % to Foreground piece with Foreground piece sized 1 % x 4 %. The Foreground should have two opposing corners of Sky and Front Tree. Refer to pattern to remaining placement of blocks.

Section 4:

Note: This section must be combined with the last section to put it completely together.

In the fourth part, you will be taking Foreground #1 pieces $2 \% \times 4 \%$, (2) $2 \% \times 3 \%$, and $1 \% \times 3 \%$; Tree #1 (Rear Tree) pieces $1 \% \times 3 \%$, $2 \% \times 3 \%$, $1 \% \times 2 \%$, and (2) $2 \% \times 2 \%$; and Tree #2 (Front Tree) pieces $1 \% \times 2 \%$, (3) $2 \% \times 2 \%$ (two of these are a corner piece).

Take a tree #1 (Rear Tree) piece (2) $2 \% \times 2 \%$; and Tree #2 (Front Tree) sized (2) $1 \% \times 1 \%$ and (2) $2 \% \times 2 \%$ and on each piece draw a line from one corner to the opposite corner on back side of fabric. (Refer to dotted yellow line in picture below)



Follow these steps for Section 4 corners:

- Place pieces in accordance with pattern and the above picture.
- Sew on the yellow dotted line drawn on the back of the fabric.
- Fold over the piece as instructed previously and trim.



Sew set of 3 blocks shown on left side together and sew the set of 6 blocks on the right side of picture to make2 groups shown below.

These 2 groups will be used in the next Section. You are done with Section 4!

Section 5 (Final):


Note: This section will be combined with section 4 to make a complete section.

In the final Section 5 part, you will be taking Foreground #1 pieces (2) 1 % x 4 %, 1 % x 8, 2 % x 2 %, 1 % x 2 %, and 1 x 1/2; Tree #1 (Rear Tree) pieces 1 % x 2 %, Tree #2 (Front Tree) piece 2 % x 8 % and Tree Truck 1 x 1 1/2.

Take a Foreground #1 2 ½ x 2 ½ and draw a line from one corner to the opposite corner on back side of fabric. (Refer to dotted yellow line in picture below)

Follow these steps for piecing the final Section 5:

- Sew Foreground 1 ½ x 2 ½ and Rear Tree 1 ½ x 2 ½ along long side.
- Draw a line as shown below by the yellow line.
- Sew on the yellow line.
- Sew on the dotted yellow line on the opposite side of the Front Tree piece.
- Iron and trim ¼ inch from the seam.
- Piece remaining pieces together as shown in pattern.



Tip:

The pieced block with the solid yellow line had more bulk than the rest. This one is especially important to do a good scant ¼ inch seam to allow that piece to fold over completely. I did a little more "scant" than usual for this one.



To finish, sew the foreground #1 piece $1 \% \times 4 \%$, to the block from Section 4. Sew the pieced front tree section to the bottom of the front tree section 4.



Put all the sections together as shown in picture / pattern.



Tip:

Some sections ended up with a lot of bulk. To reduce this, I ironed some seams open. Also, if you sew from the back side up, you can avoid "losing" the points, by have the stitch run right above the point.