


Boho Heart by Jen Kingwell

Month 10

General Tips:

1. When following the book, an accurate $\frac{1}{4}$ " seam is needed. Check you seams to make sure they are $\frac{1}{4}$ " and if the $\frac{1}{4}$ " is off, adjust before proceeding. Also be careful to make accurate diagonal cuts when instructed.
2. If you follow the instructions in the book, you are cutting on a bias edge. I suggest using starch to reduce the stretching.
3. Some of the fabrics had more shrinkage than others so I suggest preshrinking all the fabric. I do this by spraying the fabric completely with Best Press or your preferred brand but you could also use water. I use Best Press since it also helps with the bias edges.

6" Plus with a Square in a Square Block:



1. Draw a diagonal line on the 1 $\frac{1}{2}$ " green squares.

2. Place on corners and sew on the line. TIP: Before trimming, make sure the corner lines up with the 2 $\frac{1}{2}$ " block.


3. Continue until all 4 corners are done.

6. Place the 3 strips as shown.

7. Sew the rows together.



4" Flying Geese Block:



1. Draw a diagonal line across the 2 ½" light print squares.
2. Place on the corners of the 2 ½" x 4 ½" dark print. Pay attention to the angles shown. Sew on the drawn line.
3. Iron open and place another light print block as shown. Sew on the drawn line.
4. Place blocks as shown.
5. Sew 2 flying geese together to complete the block.







6" Fancy Log Cabin Block:



1. Sew a gold square to the light square.
2. Sew the light fabric rectangle to one side of the piece created in step 1 and a red rectangle to the other side.
3. Sew a blue rectangle to the piece created in step 2.
4. Create 2 rows as shown.
5. Sew the rows together.

10" Fancy Pinwheel Block:





1. Sew the red rectangle to the teal triangle as shown.
2. Place a ruler on edge of the teal triangle to trim the excess of the red rectangle.
3. Sew the red and teal triangles as shown.
5. Take the piece from step 2 and step 3 to create the square.
6. Place the squares as shown into 2 rows.
7. Sew rows together.


2" Mini Circle Block: This one is applique. Use your preferred method. The raw edge applique method and the method using Applipops is shown.




1. If you choose the Applipop method, choose the applipops closest to the pattern.
2. Place the smaller circle that matches the pattern underneath.
3. Place the larger circle on top.
4. Starch and iron excess to the middle.
5. Let it cool and then fuse to the background.
6. Trim the block to 2 1/2".




4" Wonky Flower: This one is applique. Use your preferred method. Raw Edge Applique was used here due to the shape. Follow your products instructions for fusing. Hot fix fusible was used in this block.




1. Trace onto fusible of your choice.
2. Fuse the fusible to the wrong side of fabric.
3. Cut out the pattern and fuse to the background as shown.
4. Trim the background to 4 1/2".



4" Medium Heart: This one is applique. Use your preferred method. Raw Edge Applique was used here due to the shape. Follow your products instructions for fusing. Hot fix fusible was used in this block.



1. Trace onto fusible of your choice.
2. Fuse the fusible to the wrong side of fabric.
3. Cut out the pattern and fuse to the background as shown.
4. Trim the background to 4 1/2".



3" Nine Patch Block:



1. Place squares as shown.
2. Sew into 3 rows.
3. Sew the rows together.



2" Four Patch Block:



1. Place blocks as shown.
2. Sew into 2 rows.
3. Sew the rows together.



2" Square in a Square Block:




1. Draw a diagonal line on the 1 1/2" gray squares.
2. Place on corners and sew on the line. TIP: Before trimming, make sure the corner lines up with the 2 1/2" block.
3. Continue until all 4 corners are done.


2" HST Block: There are instructions for trimming down if preferred (Month 1). If you would like to do that, cut at least 1/8" bigger than the pattern. This is optional.



2



4



1. Half Square Blocks should be 2 1/2".
2. Place the center line on diagonal corners and draw a line on the edge of the ruler from either side. A ruler such as the Magic Wand or another brand can be used. If you don't have the ruler, you can draw the diagonal line then another line 1/4" from the center line.
3. Sew on the blue lines and cut on the black line (center line).
4. For this month, you will only need 1 of them.

Putting together Month 10



The background strips above and below the square in a square block are reversed in this picture.



9



10



11

Finishing Month 10: The background filler was directional and instructions here factor in that and follow the picture which is slightly different from the pattern.


Section 5 (left side):

1. Place blocks as shown.
2. Sew matching background strips.
Note: The length in Month 8 for #37 was an inch too long. It should have been 12 ½".
3. Sew the Square in a Square Block to the background strip sections. Note: The smaller section is closer to the bottom.
4. Sew the 2" Four Patch to the background strip set below it.
5. Sew the 2" HST to the strip set.
6. Sew the section with the Four Patch to the sections to the right and sew the section with the HST to the section to the right.
7. Add the 4" Medium Heart to HST section.
8. Sew the sections below the Fancy Pinwheel together and then add the Fancy Pinwheel Block.
9. For the top section, sew the background filler to the 2" Mini Circle.
10. Sew the top three inches of the gold filler to the Wonky Flower Block. This partial seam will be finished later.

Putting together Month 10



- 11. Sew the section from step 9 to the section from step 10.
- 12. Sew the section from step 11 to the 6" Plus w/a Square in a Square Block.
- 13. Sew the section from step 12 to the Fancy Pinwheel Block.



Partial seam

Putting together Month 10



Finishing Month 10:

Section 5 (right side):

1. Sew matching background strips.
2. Sew the first strip set to the 3" Nine Patch Block.
3. Sew the section in step 2 to the strip set to the right.
4. Sew the section from step 3 to the Fancy Log Cabin Block.
5. Going back to the top section, sew the section with the fillers to the 4" Flying Geese Block.
6. Sew the section from step 5 to the section created in step 4.
7. To put the left side to the right side, go back to the partial seam and complete it.

Now you are ready to add Section 5 to Sections 1-4.

Add the third section (Strips #35-50), you can add it to the sections previously completed (Strips #1-34).