



Boho Heart by Jen Kingwell

Month 2

General Tips:

1. When following the book, an accurate $\frac{1}{4}$ " seam is needed. Check you seams to make sure they are $\frac{1}{4}$ " and if the $\frac{1}{4}$ " is off, adjust before proceeding. Also be careful to make accurate diagonal cuts when instructed.
2. If you follow the instructions in the book, you are cutting on a bias edge. I suggest using starch to reduce the stretching.
3. Some of the fabrics had more shrinkage than others so I suggest preshrinking all the fabric. I do this by spraying the fabric completely with Best Press or your preferred brand but you could also use water. I use Best Press since it also helps with the bias edges.



8" Pinwheel in a Courthouse Step Block: There are instructions for trimming down if preferred. If you would like to do that, cut at least $\frac{1}{8}$ " bigger than the pattern. This is optional. I cut 3" squares for these and trimmed down at the end.



2 1/2" ruler – diagonal line from ruler is on stitch line (black line)


Note: Blocks to make up the pinwheel should be 2 1/2".

1. I cut the squares that I want to trim at 3".
2. Place the center line on diagonal corners and draw a line on the edge of the ruler from either side. A ruler such as the Magic Wand or another brand can be used. If you don't have the ruler, you can draw the diagonal line then another line $\frac{1}{4}$ " from the center line.
3. Sew on the black lines and cut on the blue line (center line).
4. If you have a 2 1/2" ruler, line of the sew line on the diagonal line and make sure there is overage on both sides and trim both sides and dog ears.
4. For larger rulers, line of diagonal line making sure coverage is past the 2 1/2" mark. Trim first side. Line up ruler on the 2 1/2" side and trim the second side.
5. Place the blocks as shown.
6. Sew into 2 rows.
7. Sew the rows together.





8



9

8. Add the shorter beige rectangle to opposite sides of the pinwheel block created in step 7.

9. Add the longer beige rectangle to the remaining sides of the pinwheel block created in step 7.

10. Repeat steps 8 and 9 with the dark blue rectangles.




10



2" Square in a Square Block:



2



3






1. Draw a diagonal line on the 1 1/2" black squares.

2. Place on corners and sew on the line. TIP: Before trimming, make sure the corner lines up with the 2 1/2" block.

3. Continue until all 4 corners are done.



6" Half Square Triangles Block: There are instructions for trimming down if preferred. If you would like to do that, cut at least 1/8" bigger than the pattern. This is optional. I cut 3" squares for these and trimmed down at the end.





Note: Blocks should be 2 1/2".

1. I cut the squares that I want to trim at 3".
2. Place the center line on diagonal corners and draw a line on the edge of the ruler from either side. A ruler such as the Magic Wand or another brand can be used. If you don't have the ruler, you can draw the diagonal line then another line 1/4" from the center line.
3. Sew on the black lines and cut on the blue line (center line).
4. If you have a 2 1/2" ruler, line of the sew line on the diagonal line and make sure there is overage on both sides and trim both sides and dog ears.
5. For larger rulers, line of diagonal line making sure coverage is past the 2 1/2" mark. Trim first side. Line up ruler on the 2 1/2" side and trim the second side.
6. Place blocks as shown.
7. Sew into 3 rows.
8. Sew rows together.
9. Add gold large floral rectangles and the square in a square block as shown.
10. Sew into 2 rows.
11. Sew the rows together.
12. Add the Pinwheel in a Courthouse Step to the block created in step 10.




5" Sashed Half Square Block: There are instructions for trimming down if preferred. If you would like to do that, cut at least 1/8" bigger than the pattern. This is optional. I cut 3" squares for these and trimmed down at the end.



Note: Blocks should be 2 1/2".

1. I cut the squares that I want to trim at 3".
2. Place the center line on diagonal corners and draw a line on the edge of the ruler from either side. A ruler such as the Magic Wand or another brand can be used. If you don't have the ruler, you can draw the diagonal line then another line 1/4" from the center line.
3. Sew on the black lines and cut on the blue line (center line).
4. If you have a 2 1/2" ruler, line of the sew line on the diagonal line and make sure there is overage on both sides and trim both sides and dog ears.
5. For larger rulers, line of diagonal line making sure coverage is past the 2 1/2" mark. Trim first side. Line up ruler on the 2 1/2" side and trim the second side.
6. Place the blocks as shown.
7. Sew into 3 rows.
8. Sew the rows together.

2" Mini Framed Square Block




1



2

1. Sew the smaller dark rectangles to each side of the green square.
2. Sew the longer rectangles to the piece created in step 1.



2" Four Patch Block



1





2

1. Place blocks as shown.
2. Sew into 2 rows.
3. Sew the rows together.





2" Mini Circle Block: This one is applique. Use your preferred method. The raw edge applique method and the method using Applipops is shown. Note: The fabric shown for the raw edge is only for instructional purposes and not the fabric in the packages.



Note: Hot Fix was used for the raw edge but you can use the product you like. Follow the products instructions for how long to fuse with iron.

1. Trace onto fusible of your choice.
2. Fuse the fusible to the wrong side of fabric.
3. Cut out the pattern and fuse to the background.



4. If you choose the Applipop method, choose the applipops closest to the pattern.
5. Place the smaller circle that matches the pattern underneath.
6. Place the larger circle on top.
7. Starch and iron excess to the middle.
8. Let it cool and then fuse to the background.

